

#### From the Holberg Suite

# **Prelude**

EDVARD GRIEG (1843–1907) Arranged by VICTOR LÓPEZ (ASCAP)

#### **INSTRUMENTATION**

- 1 Conductor
- 10 Flute
- 2 Oboe
- 10 B Clarinet
- 2 B Bass Clarinet
- 6 El Alto Saxophone
- 4 By Tenor Saxophone
- 2 E Baritone Saxophone
- 8 B, Trumpet
- 4 F Horn

- 6 Trombone/Baritone/Bassoon
- 2 Baritone Treble Clef (World Part Trombone in B, Treble Clef)
- 4 Tuba
- 2 Mallet Percussion (Bells and/or Xylophone)
- 1 Optional Timpani (Tune: C, F)
- 2 Percussion 1 (Snare Drum, Bass Drum)
- 2 Percussion 2 (Crash Cymbals/Triangle)

#### **WORLD PARTS**

Available for download from www.alfred.com/worldparts

Horn in E♭

Trombone/Baritone in Bb Bass Clef

Tuba in EbBass Clef

Tuba in E Treble Clef

Tuba in B. Bass Clef

Tuba in B, Treble Clef

## PROGRAM NOTES

Edvard Grieg was one of several Scandinavian composers who was commissioned to write a commemorative piece for the bicentennial celebration of the birth of the "Molière of the North," the Norwegian writer Ludvig Baron Holberg (1684–1754). Grieg called his set of short piano pieces From Holberg's Time and gave his first performance of the piano work in Bergen, Norway in December 1884. The following year, he transcribed the work for string orchestra, which is how it is known today. The work is based on the musical style of Holberg's own time.

#### NOTES TO THE CONDUCTOR

The metronome marking for this arrangement is set at *Allegro* = 108; however, the tempo should be adjusted as needed depending on the technical ability of the ensemble. The percussion effects have been added to enhance and ornament the piece but they are to be kept in the background at all times. Pay close attention to the dynamic changes.

There are several spots where the dynamic level is marked *forte*. However, the ensemble should not overpower. In addition, as it is the case with all performances, keep in mind that the acoustic nature of the room will come into play, as it is as much a part of the music as the notes on the page.





### **Prelude**











38296S



38296S



38296S









